

Swedish thinking. Better living.



Kitchen  
hoods




### Gesture Control

Gampang digunakan, panel yang rapi, dilengkapi dengan panel sentuh dan gesture.



### Energy Save

Hemat energi, membuat memasak lebih efisien.



### Power Boost

Bebas asap, dengan daya hisap yang powerful, tidak perlu khawatir Ketika roasting atau grilling.



### LED 3-Level Light

Memberikan tampilan yang lebih baik ketika Anda memasak dengan lampu LED yang lebih terang, dapat disesuaikan, dan hemat energi.



### IQ Touch

Memberikan Anda kontrol sentuh yang mudah dan intuitif dengan ujung jari Anda.



### Wider Fan Inlet

Membebaskan dapur Anda dari asap dan bau yang sangat kuat dengan desain tempat kipas yang lebih luas dan inovatif.



### Slope Extractor Hood 90 cm UltimateTaste 700 - ECS9612K

Stainless steel

Dimensi Produk :896 x (1052-1329) x 382 (WxHxD)(mm)

- 1,250 m<sup>3</sup>/h maximum airflow
- Motor inverter
- Gesture control
- Breeze+ function
- Powerful extraction-lower than 750
- Delay Off
- Fan 6 speed
- PowerBoost
- UI flat glass touch panel



**Chimney Hood 90 cm**  
**UltimateTaste 700 - ECC9312K**

(Stainless Steel / Black Glass)

Dimensi Produk : 895 x (584-979) x 485 (WxHxD)(mm)

- Power boost to maximum 1.500m<sup>3</sup>/h airflow
- 5+Power boost
- Touch+Gesture control
- AirFresh Mode
- Total connected load: 213W
- Voltage: 220-240V
- Frequency: 50Hz
- Noise level: Low 42 db, High 60 db



**Chimney Hood 90 cm**

**UltimateTaste 500 - EC19455S**

(Stainless Steel / Black Glass)

Dimensi Produk : 898 x (630-1210) x 604 (WxHxD)(mm)

- Claimed airflow 1000m<sup>3</sup>/h
- Touch
- 3 fan speeds
- Carbon filter
- Air outlet: 150mm
- Motor power: 278W
- Noise level: Low 53 db, High 67 db



**Chimney Hood 90 cm**

**UltimateTaste 500 - ECT9740S**

(SS430 / Black glass)

Dimensi Produk : 900 x (435-1015) x 454 (WxHxD)(mm)

- 1,200 m<sup>3</sup>/h maximum airflow
- IQ touch with 3 fan speeds
- 5 layer grease filtration
- LED light
- Recirculation or extraction operation models
- Carbon filter
- Motor power: 274W
- Total connected load: 276W
- Voltage: 220-240V
- Frequency: 50Hz
- Noise level: Low 55 db, High 65 db



### Slimline Hood 90 cm

#### UltimateTaste 300 - ECF9214B (Black)

Dimensi Produk : 900 x 135 x 500 (WxHxD)(mm)

- Powerful 600 m<sup>3</sup>/h maximum airflow
- 3 fan speeds
- Multi layer grease filtration
- Front recirculation or extration operation modes
- Noise level: 50-60 dB (A)
- Carbon filter
- Air outlet: 150mm
- Motor power: 2 x 242W
- Total connected load: 170W
- Voltage: 220-240V
- Frequency: 50Hz
- Noise level : Low 57 db, High 69 db

### Slimline Hood 90 cm

#### EFT9033K (Black)

Dimensi Produk : 900 x 135 x 494 (WxHxD)(mm)



- Powerful 500 m<sup>3</sup>/h maximum airflow
- 3 fan speeds
- Multi layer grease filtration
- Front recirculation or extration operation modes
- 2 motor
- Carbon filter
- Air outlet: 120mm
- 25W incandescent lamp x 2
- Total connected load: 170W
- Voltage: 220-240V
- Frequency: 50Hz
- Noise level : Low 65 db, High 69 db

### Slimline Hood 60 cm

#### EFT6032K (Black)

Dimensi Produk : 600 x 135 x 494 (WxHxD)(mm)



- Powerful 190 m<sup>3</sup>/h maximum airflow
- 3 fan speeds
- Multi layer grease filtration
- Front recirculation or extration operation modes
- 1 motor
- Carbon filter
- Air outlet: 120mm
- 25W incandescent lamp x 2
- Total connected load: 170W
- Voltage: 220-240V
- Frequency: 50Hz
- Noise level : 65 db



**Swedish thinking.  
Better living.**



**Indonesia**

**PT Electrolux Indonesia**

Jl. Tanah Abang II No.42, Petojo Selatan,  
Gambir, Jakarta Pusat 10160, Indonesia

Hotline Service: 0804 111 9999

SMS: 0812 8088 8863

WA: 0811 8339 777

Email: [customercareID@electrolux.com](mailto:customercareID@electrolux.com)

Website: [www.electrolux.co.id](http://www.electrolux.co.id)